

Indira Gandhi Medical College & Research Institute

(Government of Puducherry Institution)

Vazhudavur Road, Kathirkamam, Puducherry – 605 009 ☐Ph :0413-2277545, Fax:0413-2277289

Email: puducherrymedicalcollege@gmail.com, Web: www.igmcricollege.com

No.38/PKMCS/Purchase/Pathology/2010-11/Part-II

Date:

Sub: IGMC&RI – Quotation Call letter for
Laboratory items -Pathology- Reg.

* * *

The following items are proposed to be purchased for use in this Institution. It is therefore requested to quote the lowest possible rate for the supply of the following. The quotation shall be submitted as **Hard copy** to the **DIRECTOR, IGMC&RI, Puducherry** **on or before 28th September 2018**

PATHOLOGY - LABORATORY ITEMS

Sl. No.	MEDICINE NAME	UNIT	Approx. QTY (Nos.)
1	COVER GLASS SIZE 22" X 30"(Blue star)	BOX OF 10	400 Box
2	COVER GLASS SIZE 22" X 40"(Blue star)	BOX OF 10	1000 Box
3	COVER GLASS SIZE 22" X 50"(Blue star)	BOX OF 10	500 Box
4	ESR STAND WESTERN GREEN	EACH	30 Nos.
5	DISTILLED WATER	PER LITRE	200 Nos.
6	E.A. 36 FOR PAP SMEAR (65,36,50)	EACH 100ML	10 Nos.
7	THERMAL PAPER 57 MM X 20 METRE	ROLL	100 Nos.
8	CONC HYDROCHLORIC ACID AR	500ml bottle	20 Nos.
9	PREGNANCY TEST CARD METHOD	BOX OF 50	150 BOX
10	URINOMETER (FOR URINE SPECIFIC GRAVITY)	EACH	20 Nos.
11	OG 6 (FOR PAP SMEAR)	100ML bottle	20 Nos.
12	PARAFFIN WAX WITH CERESIN (MERCK OR HIMEDIA)	BOX OF 2.5 KG	100 KG
13	NEW METHYLENE BLUE POWDER 5gm	1	25gm
14	CAPILLARY TUBE FOR CT	100/BOX	100 BOX
15	ISO PROPYL ALCHOHOL 2.5 LIT	2.5 lit bottle	400 lit
16	CALCIUM CHLORIDE SOLUTION	10ml bottle	20 Nos.
17	WINTROBES TUBE		20 Nos.
18	SODIUM HYPO CHLORITE (5%-6%)	5 LITER CAN	50 Nos.
19	Reticulocyte Count Fluid (HIMEDIA or MERK)	100 ML Bottle	10 Nos.
20	D.P.X MOUNTANT (NICE or MERK)	500 ML Bottle	30 Nos.
21	Absolute Alchohol	500 ML Bottle	50 Nos
22	WHATMAN FILTER PAPERS (Circles 125mm Dia)	Box of 100 sheet	50 Box

Contd.../2

Indira Gandhi Medical College & Research Institute

(Government of Puducherry Institution)

Vazhudavur Road, Kathirkamam, Puducherry – 605 009 ☐Ph :0413-2277545, Fax:0413-2277289

Email: puducherrymedicalcollege@gmail.com, Web: www.igmeri.com

23	WHATMAN FILTER PAPERS (46x57 mm)size	Box of 100 sheet	5 Box
24	Chromogranin-A Monoclonal antibody for IHC	3ml/Pack	1 No.
25	Desmin Monoclonal antibody for IHC	3ml/Pack	1 No.
26	H.Pylori Monoclonal antibody for IHC	3ml/Pack	1 No.
27	Positively charged (hydrophobic) slides for IHC	72slides/Pack	6 Nos.
28	Vimentin Monoclonal antibodyc for IHC	3ml	1 No.
29	1% Protamine Sulphate in Buffer	Bottle	1 No.
30	Ki 67 Monoclonal antibody for IHC	3 ml/ Pack	1 No.
31	ER Monoclonal antibody for IHC	3 ml/ Pack	1 No.
32	PR Monoclonal antibody for IHC	3 ml/ Pack	1 No.
33	HER2 Monoclonal antibody for IHC	3 ml/ Pack	1 No.
34	secondary antibody kit (DAB Buffer/ Chromogen)	1 kit	2 Nos.
35	Tris EDTA Buffer (PH9.0,50x) (for antigen retrieval)	100ml/Bottle	2 Nos.
36	Surgicl blide II size (Lister)	100 Nos./Pack	24 BOX
37	slide storage cabinet 50000 capacity(SS door with wooden grooved trays)	each	2nos
38	slide storage cabinet 10000 capacity(SS door with wooden grooved trays)	each	2nos
39	block storage cabinet 20000 capacity(SS doors with wooden grooved trays)	EACH	2nos
40	block storage cabinet 10000 capacity(SS doors with wooden grooved trays)	each	2nos
41	hematoxyline (delafield' s) Solution	500ml bottle	5nos
42	blood collection tube 2ml (EDTA)	1box of 100nos	500boxes
43	slide storage 100 slide capacity plastic Box	each	20boxes
44	Urine strip (Glucose protein)	1 box of 100	100 Box

Terms and conditions:

1. PRICES MUST BE INCLUSIVE OF ALL TAXES.

2. The supplier should be responsible to deliver the items to this Institution in good working condition
3. The rates once quoted will be final and no revision in rates will be allowed
4. Supply should be made within 30 days from the date of receipt of our supply order
5. Delivery should be made on F.O.R, Puducherry, door delivery basis.
6. The quotation should be based strictly on the specification.
7. The material should be supplied strictly in accordance with the specifications mentioned. The items which are not conforming to the specifications should be taken back at their cost.

/ By Order /


ADMINISTRATIVE OFFICER

Ju
14/9